

# LIFT DUTY MACHINE MOTOR

## **High Loaded Lift Duty Machine Motor**



### MOTORING THE WHEELS OF SUCCESS



#### Lift Duty Machine -Motor:


"SONAL" Lift an upper traction unit machine is Developed from worm reduction gear units. This unit has been designed for the special purpose of this wear silence & smoothness is required.

Sleeve bearings are used in worm shaft with angular contact bearings are provided on wheel shaft for maximum load carrying capacity. Oil seals are not provided in gear box. All gears have limited backlash for lift operation. Backless adjustment facility is provided which makes machine life longer

Special care is taken for oil circulation so that ample quantity of oil reaches all sleeve bearings imparting longer life. These high quality unit offer maximum economy with minimum maintenance & require only periodic oil checking.

These motors are specially designed for lift for smooth starting & silent operation. Rotor is of Double cage copper bars & dynamically balanced Sleeve bearings are provided with self circulating oil system but without oil seals. It gives starting torque of 2 to 2.5 times the full load torque. Motor are suitable for 120 stats per hour. Oil recommended SAE-40 of Indian Oil Corporation.

#### PINCIPAL DIMENSIONS(M.M.):-



		FOOT FIXING	SHAFT	KEY & KEY WAY	OVERRALL
H.P.	FRAME	A B C H AA AB BA BB K	DΕ	F G GA GD	AD AC L M N HC HA T
4	132 M	245 145 140 132 50 285 50 184 12.7	31 74	7.93 27.5 34.5 3.5	176 257 564 430 60 320 21 M8
5	160 M	250 175 135 160 55 295 55 220 15	31 74	7.93 27.5 34.5 3.5	195 285 584 450 60 360 30 M8
7.5	160 L	250 205 135 160 55 295 55 245 15	31 74	7.93 27.5 34.5 3.5	195 285 614 480 60 360 30 M8



Admin office / works: 30/30 Adeshwar Estate opp. Shankar Estate, Revabhai Estate Road, C.T.M. , Amraiwadi Ahmedabad - 380026 (Gujarat-India) Tel: 079-25860485, 25860290 Fax: 079-25860485 Mobile: +919898278390 Email: sonalindia@rediffmail.com Website: sonal-motors.com

